

Corrigendum

Memo no: EBS/SMC/26

In partial modification to the advertisement memo no: EBS/SMC/21 dated 22nd Jan 2025.

the following modification has been made

Name of the project: "Hospital event-based surveillance for emerging infectious diseases in medical college hospitals in India" under the Department of Community Medicine, Silchar Medical College & Hospital, Silchar.

Revised date of Interview- 15/02/2025

All other terms and conditions will remain the same

For  3-2-25

Principal cum Chief Superintendent
Silchar Medical College and Hospital
Principal cum Chief Superintendent
Silchar Medical College & Hospital
Silchar.

GOVT. OF ASSAM
OFFICE OF THE PRINCIPAL CUM CHIEF SUPERINTENDENT
SILCHAR MEDICAL COLLEGE AND HOSPITAL

No: EBS/SMC/...26.....
Silchar

Date: 03/02/2025

To,
The Deputy Director
District Information and Public Relation
Barak Valley Division

Subject: Corrigendum regarding the advertisement bearing the memo no: EBS/SMC/21 dated 22/01/2025.


Sir,

With reference to the subject cited above there has been a change in the date of Interview (new scheduled date is 15/02/2025) for the post of Project Technical Officer/Technical Assistant for the ICMR-NIE project titled "Hospital event-based surveillance for emerging infectious diseases in medical college hospitals in India" under the Department of Community Medicine, Silchar Medical College & Hospital, Silchar. The earlier date was 04/02/2025, which is revised as unavoidable circumstances arised and new date which is decided is 15/02/2025, time 9.30 AM at Dept. of Community Medicine, Silchar Medical College & Hospital.

I therefore, am submitting a corrigendum to be published in one highest circulated Local each Assamese daily, Bengali daily, English daily and one highest circulated National English/Hindi daily as early as possible.

Thanking you,

Yours' sincerely

Frs

3-2-25

Principal cum Chief Superintendent
Silchar Medical College and Hospital
Principal cum Chief Superintendent
Silchar Medical College and Hospital
Silchar.

Enclosure:

1. Corrigendum